



■ ■ ARDEX AMERICAS

■ ■ ARDEX K 40 RAPID - THE FASTEST SYSTEM ON THE MARKET

Current times have brought many changes to the construction industry, and more than ever, installers need to respond to changing demands fast. At the same time, they need reliable, high-quality products that get the job done right, the first time. ARDEX offers products and complete systems to help installers do their best work, at a pace that will keep installations on the fast track.

ARDEX' most recent innovation in the flooring sector is ARDEX K 40TM RAPID. The rapid, high flow self-leveling underlayment can be used to level and smooth a large variety of substrates including interior concrete, terrazzo, ceramic and quarry tile, epoxy coating systems and non-water-soluble adhesive residue on concrete. The new and unique feature however is its rapid dry technology, which allows customers to install flooring after only two hours!

Another great benefit of this product and working within the ARDEX system is that it's approved for use with ARDEX P 4TM Primer and the fast-track adhesive HENRY® 647 PlumPro. These products used together form the Rapid Flooring Installation System, which is the fastest system on the market, letting our customers install the finished floor in less than 3 hours! And the best thing, this system is backed by a 20-year SystemOne™ Warranty!

The complete system solution from ARDEX is both, reliable and fast! For more information on the system, or the complete ARDEX product line-up, visit our website at www.ardexamericas.com.

<https://www.ardexamericas.com/product/ardex-k-40-rapid/>

■ ■ ARTISTIC FINISHES

■ ■ ENDURACOR DIGITAL PRINT MOLDINGS, TREADS & RISERS

Artistic Finishes is proud to present our new tread & riser offering exclusive for our Enduracor™ Digital Print mastered products. The two-part tread assembly allows you to complete the installation of a staircase in no time. Our Enduracor™ Tread & Riser use the same great waterproof core material

As the world of vinyl floorings continues to grow, so must the accessories required to go with the latest technologies. One of the latest and revolutionizing finishes to have been developed into practice is digital print. Although it's been around for years, from printing on metal, fabrics, and glass, never had it been created on vinyl wrapped floor moldings with curved surfaces, until now.

Artistic Finishes is producing stair nosings, t-moldings, reducers, square nosings, wall base, and quarter round, in many of its more popular colors with exciting results.

Use of a four color CMYK (Cyan-Magenta-Yellow-Black) direct digital printing process allows us to achieve a wide variety of results. By using different light sources, we can test the outcomes predominant to the commercial and residential lighting environments. Combining a near perfect rendition to our various manufacturers floors is now achievable. Textures can also be controlled from a smoother tile look to a wire brushed wood texture. All this while maintaining our proprietary UV cured finishes.

The demand has been high for our new digital print profiles and will only grow exponentially as we receive more flooring manufactures products every week. Combining this technology to Artistic Finishes already superior profile designs and installation methods has meant a continued commitment to our customers. Listening to what they want and digesting their concerns will continue to be our foremost focus as we evolve the vinyl accessories needed for our industry.



<https://www.artisticfinishes.com/Page/EnduracorDDP>

BASE KING

TURBOSTIX™ - TAPE FOR FLOORING - THE ADHESIVE TAPE FOR ANY FLOORING PROJECT

TurboSTIX™ adhesive tape for flooring is odorless, non-toxic, and aggressive. TurboSTIX™ is available in many different sizes and bonds to a variety of materials. TurboSTIX™ adhesive tapes are used for repairs and permanent installations in light weight to heavy duty applications.

Commercial & Residential Flooring Installation Uses

- Vinyl transition strips
- Treads & risers
- Small job-site repairs
- Carpet wall base
- Vinyl and rubber cove base
- Vinyl interior trim and moldings
- Permanent Installation of carpet over carpet to save on tear out cost



<https://www.baseking.com/turbostix-tape-for-flooring/>

BONA

TRAFFIC UV SYSTEM - UV-COATING

Thanks to its unique combination of good looks and high wear resistance, Bona Traffic has long been a favorite of architects, specifiers and floor users worldwide. Now, this highly successful, well-known treatment product is also available for industrial applications. Bona Traffic UV is the ideal finish for the most demanding environments such as restaurants, hotel foyers, airports and office reception areas. Available in three different gloss levels from matt to high gloss, Bona Traffic UV has the same smooth appearance and gives your floors the same degree of wear resistance as the internationally recognized Traffic from Bona's professional product range.

Once installed, floors treated with Bona Traffic UV are easy to look after. This product is covered by Bona Lifetime Support, so we support you all the way from installation through daily care and over-coating to complete restoration of your floor, providing all the relevant products and services worldwide.

<https://www.bona.com/en-us/industrial-coating/product-systems/>





BOSTIK, INC.
ROLL-COTE™

Bostik, Inc., a world leader in specialty adhesives and installation systems for building construction, has introduced “Roll-Cote™,” a high-performance moisture vapor barrier coating and primer, to the marketplace. Roll-Cote™ has been scientifically formulated to minimize moisture emissions, prime floors prior to the application of underlayments, and block concrete alkalinity. Roll-Cote™ significantly improves return-to-service speed for flooring installation by combining multiple steps into one product.

Roll-Cote™ is suitable for use in many environments, is compatible with an assortment of flooring types, and can be used on both concrete and wood substrates. No mixing is required, and its easy-to-apply formulation and fast dry time makes Roll-Cote™ dependable and user-friendly. Roll-Cote™ is durable and low odor, and the black color provides a great visual indication of coverage during the installation process.

https://www.bostik.com/us/en_US/markets-applications/building-construction/wall-floor-installation-systems/subfloor-preparation/



CAPRI COLLECTIONS
AND/OR RUBBER CORK...FOR FLOORS AND/OR WALLS

Made with a unique blend of EPDM and cork, USA made AND/OR is suitable for floor and/or wall applications.

With 24 standard colors, AND/OR is available in 3.2, 4, 6 and 8mm thicknesses in 4' wide rolls and 24" x 24" square edge tile. For floors AND/OR offers great slip resistance, good sound absorption, comfort under foot, durability and can handle heavy rolling loads. For vertical

applications, AND/OR can be used as tackable surface, wall protection or to wrap columns.

AND/OR is Declare labeled Red List Free, FloorScore certified and listed on mindful MATERIALS.

The monitor settings on your computer/device may affect the colors of the Capri products shown on this website.

<https://www.capricollections.com/rubber-products/andor-rubber-cork/>

CUSTOM BUILDING PRODUCTS

FUSION PRO® SINGLE COMPONENT® GROUT

LINK TO: <https://www.custombuildingproducts.com/products/fusion-pro-single-component-grout>

Fusion Pro® the original stain proof, color perfect grout.* This professional grade sanded grout features unsurpassed stain resistance with no sealing required. Its Single Component® formula is ready to use and easy to spread and clean. Fusion Pro can be installed in commercial and residential environments, interiors and exteriors, and on walls and floors and specifically shower floors. Its patented formulation can be applied on all tiles and has built-in Microban antimicrobial product protection. *See warranty for details.

- Stain proof and color perfect
- Unsurpassed performance
- Never needs sealing
- Easy to spread and clean
- Ready-to-use

<https://www.custombuildingproducts.com/products/fusion-pro-single-component-grout>



METROPOLITAN/EVOKE

SYSTEM AMB2000: BUILDING A BETTER UNDERLAY

While AMB 2000 works with many types of flooring and install methods, it really shines when paired with Evoke's LV5mm Quick flooring, creating a commercial grade resilient flooring solution that is a hands-down winner, according to Mike Sahli.

"We use AMB as the underlay – no gluing required. Then we install the loose lay Quick product directly onto the AMB. No glue is required but we do use a small amount of our ProSeries 4510 adhesive as insurance. It's a releasable adhesive and does a great job of keeping things in place." While the system is very fast and very clean to install, it's also extremely easy to maintain and repair. "We can replace a damaged plank in about a minute, compared to 10 to 15 minutes for a glued down product."

The speed of install and ease of repair makes the system very attractive for retail and commercial applications, where interruption of business must be kept to a minimum. The system has been successfully used in many different applications including:

- Schools and libraries where ease of repair was a key concern
- Hospitals, chosen for ease of repair and soft underfoot feel
- Military facilities, as a bonding surface to avoid abatement of asbestos in existing flooring
- Apartment conversions where carpet has been removed and acoustics need improvement
- Renovations where water-damaged laminate has been removed; the AMB 2000 / LV 5mm fits perfectly under the baseboard, eliminating the need to replace or repair the moldings



For more information on AMB 2000, contact Evoke Contract.

<https://contract.evok flooring.com/us/system-amb2000-building-better-underlay>



■ ■ H.B. FULLER CONSTRUCTION PRODUCTS

■ ■ **NO SANDING, NO SKIM COATING WITH TEC'S NEW HIGH-FLOW, SUPER SMOOTH SELF-LEVELING UNDERLAYMENT**

TEC® Level Set® 500 HF Self-Leveling Underlayment. No other product flows faster or provides a smoother surface. The resulting surface is so smooth, you can get up to 20% more coverage from your adhesives*. In addition, no sanding or skim coating is needed – cutting labor costs by up to 66%.

Level Set 500 HF is walkable in 2-3 hours, and moisture-sensitive flooring can be installed in 15 hours, while ceramic tile can be installed in 2-3 hours. It is compatible with all types of floor coverings. Visit [TECSpecialty.com](https://www.tecspecialty.com) to learn more. *Results may vary depending on adhesive and substrate.

<https://www.tecspecialty.com/products/surface-preparation/level-set-500-hf-self-leveling-underlayment/>



■ ■ HMTX INDUSTRIES

■ ■ **DÉJÀ NEW LVT FROM METROFLOR CORPORATION**

Déjà New LVT from Metroflor Corporation provides an ideal solution for healthcare settings: a standard gluedown floor especially suited for environments where heavy rolling loads such as hospital beds and equipment, wheelchairs and walkers occur on a daily basis. Déjà New's versatile design portfolio coupled with its durability make it suitable for many areas of healthcare: in hospital settings, offices, hallways, and common areas such as waiting rooms. It is also found in doctor and dental offices as well as senior living facilities. The FX3 Surface Protectant protects against scratching and scuffing, and the floor's Ultra Fresh antimicrobial treatment inhibits the growth of mold and mildew.

<https://www.metroflor.com>

KOSTER AMERICAN CORPORATION

KOSTER SEAMLESS RESIN FLOORING

Flooring Systems have to be durable and able to keep up with the demands that these changes pose. For this reason, KOSTER developed a wide variety of epoxy based broadcast and showroom floor systems. All KOSTER's decorative systems are based on 100 % solids zero VOC epoxy coatings. In order to achieve a decorative, durable and slip resistant surface, the KOSTER Chip Floor System uses a colored chip broadcast while the KOSTER Quartz Floor System uses a colored quartz broadcast. The quartz gives the system excellent mechanical properties. KOSTER Showroom Floor Systems offer a beautiful smooth surface in a variety of colors and finishes.

https://www.kosterusa.com/us_en/



LEISTER TECHNOLOGIES

UNIFLOOR 500 AUTOMATIC WELDING ROBOT

Leister Technologies has quickly risen as one of the go-to tool manufacturers for state-of-the-art floor installations. Ever since the launch of the UNIFLOOR 500 in 2021, installers have experienced easier, safer and more durable flooring installations with PVC and linoleum floors. The UNIFLOOR 500 automatic floor welder is suitable for welding resilient floor coverings made of plastic (PVC-P vinyl) and antistatic ESD floors, as well as natural coverings made of linoleum and rubber.

- Equipped with the Automatic Nozzle Positioning (ANP)
- Weld rod pressure roller can be raised and locked
- Integrated side cutter
- Brushless blower and drive motors

<https://leister.store/unifloor-500/>





■ ■ LOBA-WAKOL

■ ■ **WAKOL MS 260 WOOD FLOORING ADHESIVE, FIRM-FLEXIBLE - TENACIOUS HOLDING STRENGTH**

Flexible enough to allow natural movement and avoid substrate damage WAKOL MS 260 Wood Flooring Adhesive, firm-flexible is the newest generation of MS polymer wood flooring adhesives. The adhesive combines a strong bond with the flexibility to allow the wood floors natural movement. It absorbs swell shear forces and develops a very high internal tensile strength. These two factors give WAKOL MS 260 Wood Flooring Adhesive, firm-flexible the ability to maintain a firm bond to the subfloor while its internal strength allows natural movement and avoids damage of the substrate.

Elastic bonding without block tearing

The new MS wood flooring adhesive WAKOL MS 260 Wood Flooring Adhesive, firm-flexible combines elasticity and strength. The adhesive absorbs swell shear forces and compared with conventional elastic adhesives achieves a very high internal strength. In other words: elastic but strong! Block tearing is above all related to the strength of the adhesive, and the greater the internal strength, the lower the risk of block tearing. WAKOL MS 260 Wood Flooring Adhesive, firm-flexible, keeps that risk as low as with shear-resistant 2K PU adhesives.

No interactions with paint systems

Undesired interactions between MS adhesives and paints depend on the type and quantity of the contained plasticisers. WAKOL MS 260 Wood Flooring Adhesive, firm-flexible, is optimised in this regard, and is generally uncritical for paints. In combination with Loba paints, the "Connected Systems" system guarantee makes the adhesive a worry-free package!

<https://www.wakol-usa.com/Flooring-Adhesives/products/Installing-Wood-and-Cork-Flooring>



■ ■ MAPEI

■ ■ **ULTRABOND ECO 399**

MAPEI's Ultrabond ECO 399, heavy-duty, pressure-sensitive, multi-flooring adhesive is a milestone in the development of adhesives for resilient flooring. Ultrabond ECO 399, is designed as an aggressive pressure sensitive adhesive with enhanced dimensional control properties for use with a wide variety of resilient flooring and provides high moisture resistance, as well as heavy rolling load resistance. Ultrabond ECO 399 provides superior moisture resistance, making it suitable for use on concrete slabs with RH levels up to 99%. Ultrabond ECO 399 is also designed with strength in mind, and with its high shear strengths can minimize gapping by controlling some of the shrinkage inherent in most LVT. With that high shear strength, also comes heavy rolling load resistance making Ultrabond ECO 399 a perfect adhesive choice for demanding floor installations. It is approved for use with luxury vinyl tile and luxury vinyl plank; vinyl enhanced tile, quartz tile, bio-based tile, fiberglass reinforced vinyl sheet flooring, solid vinyl sheet flooring, reground rubber underlayment, cork underlayment, vinyl and polyolefin backed carpet tile. Let MAPEI's Ultrabond ECO 399 be your best choice for LVT and resilient floor installations and rest assured that what you install will look just as good in the future as it does the day you installed it. For more information visit www.mapei.com.

<https://www.mapei.com/us/en-us/products-and-solutions/products/detail/ultrabond-eco-399>

■ ■ MAXXON

■ ■ **MAXXON® COMMERCIAL ACOUSTI-TOP®**

Maxxon Commercial Acousti-Top is a blend of acoustical fibers that offers multiple solutions for high performance in a low-profile sound mat, adding less than 1/16". Maxxon Commercial Acousti-Top can be installed directly on concrete and Maxxon underlayments is compatible with all LVT and other modern floor covering. It is the ideal sound control solution for new concrete construction, multifamily renovation, and single-family construction.

<http://www.maxxon.com/profile/data>



■ ■ MOHAWK GROUP

■ ■ **A WORLD-CLASS PRODUCT FOR HEALTHCARE**

Creative Terrain is a world-class floor that will perform remarkably well in all healthcare conditions. Introducing Creative Terrain, a beautiful homogenous vinyl tile flooring that can elevate and perform in a wide array of healthcare spaces. Proudly Made in the USA, Creative Terrain is the only healthcare floor that is warranted for use with all types of beds and gurneys. It contains the highest load rating in the industry; 2,500 PSI! Creative Terrain's performance is unmatched with its tough homogenous construction, high-traffic tolerance, and its unbeatable heat-welded seams to create the perfect flooring solution for any healthcare environment. Customization options are available with Creative Terrain using our water jet cutting and heat welding installations to optimize wayfinding, large spaces, and so much more! Discover more about how the Creative Terrain Collection can help you on your next project.

<https://www.mohawkgroup.com/detail/HardSurface/35377/343959/Creative-Terrain>





NOVALIS INNOVATIVE FLOORING
AVA STRM

Link to: <https://avaflor.com/strm/>

Blending the performance and durability of hard surface with the soft and warm visuals of carpet tile, AVA® STRM brings unique design options for any commercial setting, including Hospitality, Retail and Public Spaces. STRM is offered in 13 colors and two different constructions – 5 mm Loose Lay and 2.5 mm Glue Down – in a unique 9.84” x 39.37” plank format. AVA®’s patented AMP Advantage coating makes STRM the perfect solution for heavy-traffic areas that need durability and ease of maintenance.

<https://avaflor.com/strm/>

ACCESS PFS
Online Solutions



PROFESSIONAL FLOORING SUPPLY
ACCESS PFS

AccessPFS is your one stop online destination for all things PFS. From any mobile device or computer you can easily Access PFS's e-commerce site to purchase product, check local inventory, see the latest promotions, and check your past purchase orders. Visit AccessPFS.com and request an AccessPFS login today!

www.AccessPFS.com

PROTECT-ALL
PROTECT-ALL DESIGNER
SERIES®

Protect-All Designer Series® is manufactured with the same durable vinyl properties as traditional Protect-All® flooring, and was developed to bridge the gap between functionality and aesthetic appeal. Featuring a solid base color with varying accent colors throughout, this unique flooring can withstand high-traffic areas without showing wear while enhancing the design of any space. Protect-All Designer Series is the sustainable solution for a number of applications, including:

- Fitness rooms
- Hospital rooms
- Multi-purpose rooms
- Patient waiting rooms
- Retail storefronts
- Offices



Protect-All Designer Series is available in three colors and comes in varying sheet sizes and thicknesses, as well as 1/8" rolls, interlocking, and square tiles. Protect-All Designer Series can also contribute to LEED certification and GBI Green Globes.

<https://protect-allflooring.com/designer>

SCHÖNOX
SCHÖNOX AP RAPID

Pumpable Self-Leveling Compound designed for fast-track installations on most substrates in interior areas. May be installed above 1/16 up to 1/2". Suitable on concrete, cement, gypsum, old flooring, old water-resistant residues, OSB, and plywood and leveling of substrates under flexible coverings and wood flooring. Ready for covering after 6 hours at 1/4".

Schönox AP Rapid and AP Rapid Plus synthetic gypsum hybrid self-leveling compounds offer the benefits of both worlds by combining the versatility, strength and durability of synthetic gypsum with the speed of fast-curing cement. Both are ideal for application in healthcare, education, multi-family, hospitality and more. AP Rapid is ready for covering in as little as 6 hours, AP Rapid Plus overnight. Dust reduced properties and low VOC content only add to the many advantages of AP Rapid and AP Rapid Plus.

<https://hpsubfloors.com/portfolio-items/schonox-ap-rapid/>





SHAW CONTRACT
NEW STYLES
ADDED TO VITALITY
COLLECTION

Vitality is a collection of three semi-solid true homogeneous sheet styles that allows color to become the foundation of a design. With three non-directional patterns, the installation opportunities are endless. Vitality Classic, Vitality Tones, and Vitality Hues work together to create dynamic and creative spaces or alone to appear near-solid and seamless. The colors in the collection support Evidence-Based design methodology while remaining functional to support wayfinding and zoning. With three styles and price points, Vitality can meet any project budget requirement. Vitality prioritizes infection control, durability, and functionality. The construction provides improved resistance to common medical stains

including betadine, blood, and hand sanitizer. A direct glue heat-welded installation can be flash-coved to meet code and support EVS requirements. It is ideal for use in extreme environments with heavy rolling and static loads.

<https://www.shawcontract.com/en-us/products/0873V?view=swatch>



SPRAY-LOCK
SPRAY-LOCK 6500 ADHESIVES

Luxury vinyl planks and tiles (LVT) are quickly becoming the fastest growing flooring options in both commercial and residential installations due to the low cost, durability, and variety of designs. The Spray-Lock 6500 adhesives are formulated to compliment these same ends.

These highly versatile adhesives provide extended open time, allowing for careful installation, yet deliver an instant shear strength that allows immediate access for traffic. Together, this has shown to reduce installation time by as much as 50%.

For high moisture substrates, Spray-Lock offers 6500 Platinum as a reliable solution. The proprietary formula has a track record of improving a customer's moisture failure rate of 23% to less than 1% over a span of 300 million square feet.

Spray-Lock 6500 adhesives can reduce your overall cost per square foot and keep your projects ahead of schedule.

<https://spraylock.com/lvt-adhesive/>

TARKETT

TARKETT IQ COLLECTIONS PROMISE NO REFINISHING FOR LIFE

Simply put, Tarkett's iQ Collections are the premium solution for critical spaces, designed to meet the most demanding requirements for durability, hygiene and easy maintenance. iQ's welded seams provide great performance in areas where infection control is needed.

Inspired by nature, iQ Granit's tonal chip design is ideal for healthcare, education and retail applications. The iQ Granit Collection includes Micro, a subtle, small chip pattern that coordinates with the entire Granit line. With iQ construction, Granit retains its superior wear, stain and abrasion resistance, and original beauty over time with nothing more than an occasional dry buff – no wax of finish needed. It's also available in slip-resistant Granit Safe-T and static-dissipative iQ Granit SD.

https://commercial.tarkett.com/en_US/category-tna_C05001-homogeneous-sheet-tile



TAYLOR ADHESIVES

MS-PLUS ADVANCE

MS-Plus Advance is formulated for the interior installation of all wood flooring types including: solid, engineered and parquet hardwood, cork and cork-backed products, bamboo, acrylic impregnated plank and even recycled rubber. This single-part adhesive protects flooring from moisture damage and greatly reduces sound transmission.

You can learn more about MS-PLUS ADVANCE and all of the Taylor products by visiting TaylorAdhesives.com on your computer or our free mobile app. While there, check out TAYLOR TIME, our free training and educational platform where you can see Resolute and other Taylor products demonstrated.

<https://www.tayloradhesives.com/products/msplus%20advance/>





TRAXX

LS-100 FROM TRAXX IS THE FASTEST, SAFEST AND EASIEST WAY TO DELIVER ASTM E96 RATED MOISTURE PROTECTION TO FLOORS.

“The era of mixing caustic and cumbersome 2-part epoxy moisture mitigation products in-situ has finally drawn to a close!” proclaims Mark Johnson, VP for Sales at Traxx Corporation. “For years the industry has searched for a non-epoxy solution that would comply to the stringent standards of the ASTM 3010 and E96 permeance tests”, continues Johnson. “For over 25 years Traxx has strived to deliver innovation and efficiency to its customers and we are now bringing to market the only water-based non HAZ-MAT moisture mitigation product that meets the ASTM standards for vapor blocking. The combination of ease of shipping, application and storage, along with the economic windfall for applicators makes this product truly revolutionary – a product whose time has come!”

LS-100 represents a disruptive innovation that will change the way flooring is installed and warranted. For years the market has cried out for a substitute for the caustic, expensive and hard-to-install 2-part epoxy moisture mitigation products. LS-100 is the only water based moisture mitigation product that meets the moisture blocking requirements of ASTM 3010, and is NOT AN EPOXY!

Over a decade in the making, LS-100 is a patented low solids emulsion specifically engineered to create vapor blocking, pH correction and excellent adhesion on concrete substrates.

Unlike reactive products, LS-100 does not rely on any type of chemical reaction in order to be effective, no cross-linking, no polymerization... just physics, allows LS-100 to work. Once the water carrying the solids evaporates the molecules pack tightly within the slab creating an effective and permanent moisture barrier as measured by ASTM E96.

BUT ENOUGH ABOUT THE SCIENCE...

- Half the cost of 2-part epoxies
- Net perms as low as 0.03 @ 250 s.f. per gallon as measured by ASTM E96
- Reusable in the bucket
- Rolls on with a nap roller
- Non HAZMAT
- Cleans with soap and water
- One hour dry time
- Cuts job times in HALF
- Cuts crew by a THIRD
- Direct bond to most adhesives and cementitious products

Get your jobs on track with TRAXX LS-100

<https://www.traxxcorp.com/products/liquishield-100/>



UZIN/A BRAND OF UZIN UTZ

UZIN KR 430

Link to: <https://us.uzin.com/detail/product/uzin-kr-430>

UZIN KR 430 is a 2-component polyurethane adhesive ideal for the installation of all types of floor coverings that demand reliable bonding in extreme conditions. Suitable for floor covering installations subject to heavy use and rolling loads, UZIN KR 430 cures to an extremely high final strength and hardness with excellent resistance to plasticizers, surface moisture and temperature exposure.

<https://us.uzin.com/detail/product/uzin-kr-430>





WAGNER METERS

DATAGRABBER® DATA LOGGER WITH BLUETOOTH® FOR RAPID RH® L6

The DataGrabber with Bluetooth engages the L6 Smart Sensor to collect and store concrete RH and temperature readings according to a time interval set with the DataMaster L6 app. The DataGrabber with Bluetooth is the solution for autonomous documentation of the changing moisture condition in the concrete slab. The DataGrabber with Bluetooth is a long-term data logging solution because it fits within an L6 Smart Sensor with the protective cap in place.

If you approach any Wagner Meters wireless device that features Bluetooth connectivity such as the Smart Logger or Orion 950 Smart Pinless Wood Moisture Meter, your smart device will detect the Wagner device and perform the pairing procedure automatically. There is nothing you need to do; the devices do the work for you.

<https://www.wagnermeters.com/datagrabber/>



“I have gained a family of very knowledgeable friends that I have used as mentors to grow our business and value to our clients.”

Bruce Reeve, CIM | Flooring Services, Inc.



“If you participate fully in FCICA, you will not only improve the quality and the ability of your company, but you will be able to make more profit at the end of the day.”

Mike Roberts | Bonitz

www.fcica.com/join • info@fcica.com • (630) 672-3702